

AI and Quantum Computing for Advanced Materials Design

Hun Hee Cho^{1,2}, Tae Hyung Kim³, Seung Gyu Hwang⁴ and Hongchul Shin^{1,*}

¹*Department of Biotechnology, College of Life Sciences and Biotechnology, Korea University, Seoul 02841, Republic of Korea*

²*Law School, Chonnam National University, Gwangju 61186, Republic of Korea*

³*Department of Mathematics, Korea University, Seoul 02841, Republic of Korea*

⁴*Hyundai Mobis, Gyeonggi-do 16082, Republic of Korea*

Abstract: The AI-driven inverse design paradigm is fundamentally transforming materials discovery research by enabling the computational exploration of novel materials with predefined target properties. This review comprehensively synthesizes recent progress in applying AI methodologies, such as generative models, reinforcement learning, and diffusion models, to diverse material classes including metals, polymers, and proteins. It particularly highlights key advancements, such as the AI-guided discovery of high-entropy alloys with superior mechanical properties and the de novo design of functional polymers and protein-based biomaterials. Furthermore, major remaining challenges are discussed, including the computational-to-experimental validation gap, data scarcity, and the need for physically constrained models. Furthermore, this review explores the emerging frontier of Quantum Machine Learning (QML), which holds the promise of overcoming the limitations of classical computing for particularly complex problems in materials simulation. Finally, the integration of these methodologies into fully autonomous laboratories for closed-loop design, synthesis, and characterization is presented as a transformative route to accelerate the materials discovery cycle.

Keywords: Artificial intelligence, Quantum computing, Materials design, Materials discovery.

1. INTRODUCTION

The fourth paradigm of scientific research, data-driven discovery, has influenced materials science through the convergence of comprehensive material databases, high-throughput computational methods, and AI algorithms. Traditional materials development, long dominated by empirical intuition and iterative experimentation [1, 2], has been supplanted by inverse design approaches that systematically explore vast compositional and structural spaces to identify materials with predetermined properties.

Inverse design represented a fundamental conceptual shift from forward design, where composition and structure determine properties, to a process where target properties guide the search for an optimal composition and structure [3]. The integration of AI with high-throughput experiments created iterative design-build-test-learn cycles that accelerated discovery timelines from years to months or weeks (Figure 1).

This paradigm transformation proved particularly effective in addressing complex material challenges, such as overcoming the strength-ductility trade-off in metals, designing polymers with specific mechanical

profiles, and engineering proteins with enhanced biomaterial capabilities [4]. Central to this inverse design process was the ability to quantify and target specific material properties, most notably mechanical performance metrics derived from stress-strain analysis (Figure 2).

2. AI METHODOLOGIES FOR MATERIALS INVERSE DESIGN

The evolution from traditional physics-based simulation toward AI-driven approaches has enabled predictive modeling, creative generation, and intelligent optimization. While molecular dynamics provided mechanistic understanding [5], AI methods excelled at pattern recognition and design space exploration. Quantum machine learning represents an emerging frontier that may resolve computational bottlenecks while maintaining physical rigor [6].

Supervised learning formed the basis of "forward" models within the inverse design loop, used to predict material properties from given compositions and structures. These models were critical for rapidly evaluating candidates generated by other AI methods. Ensemble methods, deep neural networks (DNNs) [7], and specialized architectures such as Graph Neural Networks (GNNs) and transformers were widely used to handle complex, high-dimensional relationships [8, 9]. To move beyond "black box" predictions, interpretability techniques like SHAP (SHapley Additive exPlanations) were employed to provide insights into structure-property relationships [10].

*Address correspondence to this author at the Department of Biotechnology, College of Life Sciences and Biotechnology, Korea University, Seoul 02841, Republic of Korea;
E-mail: saekomi5@korea.ac.kr




Figure 1: Integrated AI framework for materials design. The closed-loop cycle connects AI-guided design with synthesis and characterization to systematically optimize materials for target properties.

Generative models emerged as tools for proposing novel material candidates by learning the underlying distribution of existing materials data. Variational Autoencoders (VAEs) compressed material representations into continuous latent spaces for generations [11]. Generative Adversarial Networks (GANs) used competitive generator-discriminator architectures to produce realistic material structures [12]. Diffusion models, a state-of-the-art approach,

learned to reverse a progressive noise addition process and excelled at generating complex 3D structures [13].

Reinforcement Learning (RL) frameworks were developed to guide generative models toward specific objectives [14]. The generative model acted as an agent proposing new materials, while the environment, often a predictive model or simulation, provided




Figure 2: Representative stress-strain curve for materials design. The curve illustrates key mechanical metrics such as yield strength, ultimate tensile strength, and toughness, which serve as primary target properties for AI-driven inverse design.

Table 1: Comparative overview of Computational Paradigms for Materials Design from Traditional to Emerging Approaches

Paradigm	Key Methodologies	Primary Objective	Core Strengths	Current Limitations
Molecular Dynamics (MD)	All-atom simulation, Steered MD (SMD), coarse-grained models	Explanation: Understanding fundamental physics-based mechanisms governing structure-property relationships in existing biomaterials	High-fidelity physical realism, detailed mechanistic insights into phenomena such as unfolding, hydrogen bonding dynamics, and energy dissipation	Computationally expensive, limited to small system sizes and short timescales, primarily descriptive rather than predictive or generative for new sequences
Predictive Machine Learning (ML)	Deep Neural Networks (DNN), Support Vector Machines (SVM), Graph Neural Networks (GNN)	Prediction: Direct prediction of macroscopic material properties (e.g., UTS, toughness) from molecular or sequence-level features	Computationally efficient for inference, capable of learning complex non-linear relationships from data, bridges sequence-function gap without full simulation	Requires large, high-quality labeled datasets, can become "black box" models lacking physical interpretation, poor generalization outside training distribution
Generative AI (LLM & Diffusion)	Transformers (e.g., GPT), Diffusion Models (e.g., RFdiffusion, FrameDiff)	Creation: <i>De novo</i> generation of novel protein sequences or structures following learned design principles or possessing desired properties	Can explore vast, unexplored regions of protein design space, capable of generating highly novel and diverse candidates with specified structural motifs	Risk of generating non-synthesizable or non-functional proteins, potential for "mode collapse" or bias from training data, non-trivial evaluation of novelty and quality
Reinforcement Learning (RL)	Actor-Critic (A2C), Proximal Policy Optimization (PPO), Q-Learning	Optimization: Intelligent and autonomous exploration of design space to find proteins that maximize specific multi-objective reward functions (e.g., stability + binding affinity)	Goal-directed and adaptive, can optimize for properties not explicitly present in training data, efficient exploration-exploitation trade-offs in vast search spaces	Requires reliable and fast reward functions (oracles) which can be bottlenecks, training can be unstable, defining effective rewards is challenging
Quantum Machine Learning (QML)	Quantum Neural Networks (QNN), Variational Quantum Eigensolver (VQE), Quantum Annealing	Emerging Frontier: Leveraging quantum phenomena such as superposition and entanglement to solve classically intractable problems in molecular modeling	Potential exponential speedups for certain computations, natural modeling of quantum mechanical interactions and higher-order correlations, can overcome classical optimization challenges	Currently limited by Noisy Intermediate-Scale Quantum (NISQ) hardware, low qubit counts and short coherence times, significant error rates, embedding problems

rewards based on property alignment. This approach enabled multi-objective optimization and constraint satisfaction.

Materials science has faced inherent small data challenges. Several strategies were employed to mitigate this issue. Active Learning and Bayesian

Optimization addressed data scarcity by selecting the most informative experiments or simulations to perform next [15]. Transfer Learning leveraged knowledge from data-rich domains to improve model performance on sparse datasets [16]. Physics-Informed Models incorporated known physical laws and constraints into the AI model, reducing reliance on pure data fitting and improving extrapolation capabilities [17].

As classical AI models push the limits of conventional computing, particularly for problems with vast combinatorial complexity, researchers have begun to explore the nascent field of Quantum Machine Learning (QML) [18]. QML seeks to leverage quantum phenomena such as superposition and entanglement to solve problems that are intractable for even the most powerful classical supercomputers [19].

A Quantum Neural Network (QNN), for instance, processes data in a high-dimensional Hilbert space, which is exponentially larger than the feature space accessible to a classical neural network [6]. This could enable QNNs to model extremely complex, high-order correlations between input features, such as the subtle interplay between many different atoms in a material, that classical models might miss. A study by Kang and Shin demonstrated QML's potential by applying a QNN to the complex problem of distinguishing intrinsically disordered protein regions from ordered ones, achieving superior performance by capturing intricate feature interactions [6]. While the field is still in its early stages and constrained by current noisy intermediate-scale quantum (NISQ) hardware, it holds profound promises for tackling the most challenging problems in materials science [20].

3. DOMAIN-SPECIFIC APPLICATIONS

High-Entropy Alloys exemplified AI's potential in metals design. The combinatorial explosion of elements created vast design spaces [21]. AI models were used to learn complex relationships between composition and phase stability. Active learning led to the discovery of a FeNiCoAlTa alloy achieving a 1.8 GPa yield strength with 25% uniform elongation [22]. For Metallic Glasses, AI models optimized Glass-Forming Ability (GFA) by learning relationships between composition and critical parameters. VAE-based approaches generated novel Fe-based and Cu-based MG compositions with superior GFA [23].

In polymer design, molecular representation strategies influence model performance. SMILES strings enabled the application of sequence models, while graph-based representations preserved molecular topology [24]. For *de novo* polymer design, generative models were employed to propose novel structures optimized for target properties. For example, reinforcement learning was used to fine-tune generative models to bias them toward candidates with ultra-high glass transition temperatures [25]. AI-guided approaches also identified novel catalysts with experimentally confirmed activity. Tool-augmented AI systems like ChemCrow, a GPT-4 based agent with computational chemistry tools, completed multi-step synthesis tasks autonomously [26].

Protein design experienced significant advances through accurate structure prediction with AlphaFold and the development of generative models [27]. For *de novo* protein engineering, two complementary strategies were employed. Sequence-based generation applied language models to generate amino

Table 2: Recent Breakthroughs in Computational-Experimental Validation for AI-Driven Materials Design

System	Key Achievement	Success Metrics	Validation Method	Impact
A-Lab Autonomous Laboratory [29]	71% success rate in synthesizing computationally predicted materials	41 of 58 novel compounds successfully synthesized	Robotic synthesis with ML-guided optimization (ARROWS3)	Advance in computational-experimental validation
MatterGen Diffusion Model [30]	Property-guided crystal structure generation with experimental validation	<20% error between predicted and measured properties (TaCr ₂ O ₆ : 169 vs 200 GPa)	Direct synthesis and characterization validation	Demonstration of generative materials design feasibility
Distributed ACDC Network [31]	Global-scale computational-experimental integration	21 new organic laser materials in 2-month campaign	5 laboratories across 3 continents	Democratization of advanced materials research
Mobile Robotic Systems [32]	Autonomous multi-modal analytical processing	5 of 6 target compounds synthesized, 4-day continuous operation	NMR and LC-MS data integration with dynamic time warping	Application-agnostic decision algorithms
AI-Driven Robotic Chemist [33]	Goal-specific synthesis optimization outperforming human chemists	Superior speed and accuracy with real-time adaptation	Continuous reaction monitoring with feedback optimization	Demonstration of synthetic ingenuity

acid sequences, while structure-based generation using diffusion models operated directly in 3D space. Deep learning frameworks incorporating structural descriptors achieved high correlation between predicted and experimental values for silk fiber strength and toughness [28].

4. CHALLENGES, BREAKTHROUGHS, AND FUTURE DIRECTIONS

The landscape of AI-driven materials design changed significantly in the 2023-2025 period, with advances in computational-experimental validation, autonomous laboratories, and AI architectures. Materials discovery timelines were reduced from 10-25 years to 1-2.5 years, with success rates increasing from less than 10% to over 70% [29]. However, critical challenge has been ensuring computational predictions translate to experimental reality. Recent breakthroughs demonstrated success in bridging this gap, largely through the development of autonomous laboratory systems and generative AI models capable of producing experimentally verifiable materials.

The advancements presented in Table 3 represent a pivotal shift from theoretical prediction to tangible creation. The advancements presented in Table 3 represent more than just accelerated discovery; they signify a methodological revolution driven by the full automation of the 'design-build-test-learn' cycle. The common thread linking these breakthroughs is the establishment of a robust, closed-loop feedback mechanism. By integrating AI-driven hypothesis generation with robotic synthesis and characterization, these systems create a powerful learning loop where data from both successful and failed experiments are used to autonomously refine future computational models and experimental protocols. This self-correcting capability minimizes human intervention and bias, fundamentally transforming the research process from a linear path of inquiry into an intelligent, adaptive system that promises to redefine the very nature of scientific discovery.

Among the most significant is the A-Lab system, which provided a robust proof-of-concept for autonomous materials synthesis. By integrating AI-driven hypothesis generation with a robotic platform, it achieved an unprecedented 71% success rate in synthesizing novel inorganic compounds, a task where human-led exploration often yields success rates below 10%. This system not only accelerated discovery but also autonomously identified failure modes in both computational predictions and experimental protocols, creating a valuable feedback loop for improving future models. Similarly, the MatterGen model demonstrated

the practical viability of property-driven generative design [34]. It successfully generated a novel crystal structure for TaCr_2O_6 , whose experimentally measured properties were within 20% of the model's predictions. This achievement was critical as it proved that diffusion models could design not just plausible, but physically realizable materials with accurately forecasted characteristics, directly addressing the long-standing validation challenge. Furthermore, the power of collaboration was showcased by the Distributed ACDC Network [35], which connected five laboratories across three continents into a single, AI-coordinated discovery engine. This demonstrated that advanced, autonomous materials research could be democratized and scaled globally, leading to the rapid discovery of 21 new organic laser materials in a single two-month campaign. Flexibility in automation was advanced by Mobile Robotic Systems [36], which integrated analytical instruments like NMR and LC-MS on a mobile platform, enabling dynamic, on-the-fly decision-making and synthesis of multiple target compounds over days of continuous operation. Complementing these platforms, the AI-Driven Robotic Chemist focused on optimizing complex chemical synthesis with an ingenuity comparable to human experts, using real-time monitoring and feedback to adapt reaction parameters, thereby achieving superior speed and accuracy.

Physics-informed models that incorporated known physical laws were developed to improve extrapolation and provide mechanistic insights. These models move beyond correlational pattern-matching to embed fundamental scientific principles, ensuring that their predictions adhere to the laws of nature. The approaches outlined in Table 3 are crucial for building more robust and scientifically grounded AI. For example, Conservation Law-Encoded Neural Operators represent a significant step beyond standard deep learning [38]. Instead of treating the model as a black box, these operators are mathematically constrained during training to ensure their outputs always satisfy fundamental principles like the conservation of mass and momentum. This is achieved by incorporating the governing partial differential equations (PDEs) directly into the neural network's loss function [42], penalizing any prediction that violates these laws. This method forces the model to learn physically consistent solutions, leading to much better generalization, especially in regimes with sparse data. On the other end of the spectrum, foundation models like MACE-MP-0 learn fundamental physical principles implicitly from vast datasets [40]. Its $E(3)$ -equivariant architecture is designed to respect the rotational and translational symmetries inherent in physical systems, allowing it to function as a "universal potential" for a

Table 3: Advanced Physics-Informed AI Approaches and Autonomous Systems in Materials Science

Technology	Application Domain	Key Innovation	Performance Improvement	Physical Laws Integrated
Physics-Informed Bayesian Optimization [37]	III-V Semiconductor MOCVD	Incorporates Vegard's law and gas flow relationships	Target properties achieved in 1-6 runs vs traditional trial-and-error	Vegard's law, linear gas flow relationships
Conservation Law-Encoded Neural Operators [38]	Constitutive modeling of materials	Automatically satisfies conservation principles	Outperformed standard neural operators in small-data regimes	Mass, momentum, energy conservation
Physics-Informed Neural Networks [39]	Nondestructive materials characterization	Incorporates elasticity, hyperelasticity, plasticity models	Detects internal defects while predicting elastic properties	Elasticity theory, constitutive models
MACE-MP-0 Foundation Model [40]	Universal atomistic modeling	E(3)-equivariant architecture for 89 chemical elements	State-of-the-art accuracy on Matbench benchmarks	Rotational and translational symmetries
MetaScientist Framework [41]	Metamaterial design	Hypothesis-to-structure generation with Socratic questioning	Superior novelty scores (1.712 vs 0.803 for GPT-4o)	Mechanical equilibrium, structural constraints

large portion of the periodic table. This eliminates the need to develop system-specific models and represents a major step toward a general-purpose simulation engine for atomistic systems. This physics-informed approach also yielded practical benefits in manufacturing, as demonstrated by Physics-Informed Bayesian Optimization for semiconductor growth. By incorporating known relationships like Vegard's law into the optimization process, researchers achieved target material properties in as few as 1-6 experimental runs, a drastic improvement over traditional trial-and-error. Similarly, Physics-Informed Neural Networks (PINNs) have been applied to non-destructive materials characterization, embedding elasticity theory to not only predict bulk properties but also identify internal defects from surface measurements [43, 44]. Finally, frameworks like the MetaScientist pushed the boundaries of AI creativity by generating novel metamaterial designs through a process of automated hypothesis generation and Socratic questioning [41], resulting in structures that were demonstrably more novel than those produced by purely data-driven generative models like GPT-4o [45].

Efforts were made to generate larger, higher-quality, standardized datasets. These focused on automated data curation, high-throughput experimental generation, and multi-scale data integration. The NIST Materials Science and Engineering Division's "Facilitating the Adoption of FAIR Digital Objects" initiative combined FAIR Data Principles with Digital Object Architecture to develop community consensus on data standards [46].

Foundation models pretrained on large materials datasets provided transferable knowledge across domains. The MACE-MP-0 model, trained on 150,000

inorganic crystals, handled 89 chemical elements with high accuracy on Matbench benchmarks [47]. Multi-modal materials foundation models like IBM's FM4M combined multiple molecular representations [48]. Despite their success, the application of foundation models faced limitations. Their performance was tied to the training data, which often consisted of equilibrium crystalline solids, potentially limiting generalization to amorphous or metastable states. Furthermore, the development of these models required significant computational resources.

Human-AI collaboration evolved toward interactive platforms where researchers could query models, receive explanations, and provide feedback [54]. This synergy was intended to ensure physical realism while leveraging AI's pattern recognition capabilities. The applications in Table 4 illustrate the expanding scope of AI in materials design, moving from simple property prediction to the creation of complex, functional systems. For example, ML-based inverse design of mechanical metamaterials now allows researchers to input a desired stress-strain curve and receive a valid microstructure design in seconds with over 90% accuracy [55], reversing the traditional design process. This concept has been extended to create Cognitive Metamaterials, which are active systems that integrate sensing, energy harvesting [56], and actuation. These materials can perform digital logic operations and adapt their behavior in response to environmental stimuli, blurring the line between material and machine. The development of autonomous platforms for soft materials discovery has accelerated screening by orders of magnitude [57], reducing the need for human analysis by up to 100-fold. In the quest for multifunctional materials, Bayesian optimization coupled with generative models like MatterGen has proven to be twice as likely to generate novel and

Table 4: Emerging Applications and Human-AI Collaboration Frameworks in Materials Design

Application Domain	Technology/Framework	Key Achievement	Performance Metrics	Human-AI Integration
Mechanical Metamaterials [49]	ML-based inverse design	90% accuracy in generating desired mechanical behaviors	Stress-strain curve to microstructure design in seconds	User input of desired properties with AI structure generation
Cognitive Metamaterials [50]	Sense-decide-respond systems	Integration of sensing, energy harvesting, actuation	Digital logic operations with adaptive environmental response	Human-defined behavioral objectives with AI implementation
Soft Materials Discovery [51]	Autonomous experimental platforms	100-fold reduction in human analysis requirements	Accelerated property prediction across molecular-to-bulk scales	Scientists focus on interpretation while AI handles screening
Multifunctional Materials [52]	Bayesian optimization with generative modeling	100-fold reduction in candidate analysis requirements	2x more likely novel and stable structures (MatterGen)	Expert-guided property constraints with AI-powered generation
Interactive Design Platforms [53]	JARVIS web-based system	40,000 materials, 1 million properties, 25 ML models	Programming-free AI access with uncertainty quantification	Real-time feedback systems enabling iterative collaboration

stable structures that satisfy multiple [34], often competing, property objectives. To make these powerful tools accessible, interactive platforms like the JARVIS web-based system have been developed [53], providing researchers with programming-free access to vast materials databases and dozens of pre-trained machine learning models, fostering a more collaborative and democratized research environment.

Advances progressed toward cognitive mechanical metamaterials with sense-decide-respond loops, integrating sensing, energy harvesting, and actuation capabilities within single materials systems [58]. These developments enabled metamaterials capable of digital logic operations and adaptive responses to environmental conditions.

The goal of this research direction involved fully automated design-build-test-learn cycles with minimal human intervention. The integration of AI-guided design, robotic synthesis, and automated characterization promised to accelerate discovery. Advanced Pareto front exploration using NSGA-II [59], MOEA/D [60], and multi-objective Bayesian optimization achieved an 89% reduction in iterations compared to random search when applied to high-entropy alloys. The approach identified materials with simultaneously high saturation magnetization and hardness, addressing competing objectives [61, 62]. Early implementations demonstrated 50-100x increases in experimental throughput with success rates improved from less than 10% to over 70% [29].

5. CONCLUSION

AI-driven inverse design has had a significant impact on materials science, enabling systematic exploration of compositional and structural spaces. The

2023-2025 period witnessed breakthroughs that demonstrated the maturity of this paradigm, with autonomous laboratories achieving high success rates in synthesizing computationally predicted materials and reducing discovery timelines.

Successes across metals, polymers, and proteins demonstrated the applicability of these approaches. These advances were unified by the convergence of generative models, reinforcement learning, and physics-informed methods. The achievements of autonomous laboratories, such as the A-Lab system, represented the emergence of predictive materials science. The validation of AI-generated crystal structures with measured properties close to computational predictions showed that the gap between design and reality could be systematically bridged.

Foundation models trained on large materials datasets now provide transferable knowledge, while physics-informed models ensure compliance with fundamental laws. The trajectory toward fully autonomous discovery systems that integrate AI design with robotic experimentation promises to further accelerate discovery timelines. As these systems mature, AI is evolving from an optimization tool to a scientific partner capable of revealing new principles governing material behavior. The convergence of these approaches has created an ecosystem where theoretical insights can be translated rapidly into practical materials. The materials science community is entering an era where discovery speed is limited not by human intuition but by the ability to synthesize and validate the stream of novel candidates proposed by intelligent algorithms.

CONFLICTS OF INTEREST

The authors declare no conflict of interest.

REFERENCES

- [1] C. Khatua, S. Min, H. J. Jung, J. E. Shin, N. Li, I. Jun, H. W. Liu, G. Bae, H. Choi, and M. J. Ko, "In situ magnetic control of macroscale nanoligand density regulates the adhesion and differentiation of stem cells," *Nano letters*, vol. 20, no. 6, pp. 4188-4196, 2020.
<https://doi.org/10.1021/acs.nanolett.0c00559>
- [2] H. Choi, G. Bae, C. Khatua, S. Min, H. J. Jung, N. Li, I. Jun, H. W. Liu, Y. Cho, and K. H. Na, "Remote Manipulation of Slidable Nano-Ligand Switch Regulates the Adhesion and Regenerative Polarization of Macrophages," *Advanced Functional Materials*, vol. 30, no. 35, pp. 2001446, 2020.
<https://doi.org/10.1002/adfm.202001446>
- [3] T. Yoon, H. Shin, W. Park, Y. Kim, and S. Na, "Biochemical mechanism involved in the enhancement of the Young's modulus of silk by the SpiCE protein," *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 143, pp. 105878, 2023.
<https://doi.org/10.1016/j.jmbbm.2023.105878>
- [4] B. Shin, S. Park, I. Park, H. Shin, K. Bang, S. Kim, and K. Y. Hwang, "Structural Insights and Calcium-Switching Mechanism of Fasciola hepatica Calcium-Binding Protein FhCaBP4," *International Journal of Molecular Sciences*, vol. 26, no. 15, pp. 7584, 2025.
<https://doi.org/10.3390/ijms26157584>
- [5] H. Shin, T. Yoon, W. Park, J. You, and S. Na, "Unraveling the Mechanical Property Decrease of Electrospun Spider Silk: A Molecular Dynamics Simulation Study," *ACS Applied Bio Materials*, vol. 7, no. 3, pp. 1968-1975, 2024.
<https://doi.org/10.1021/acsabm.4c00046>
- [6] S.-J. Kang, and H. Shin, "Amino acid sequence-based IDR classification using ensemble machine learning and quantum neural networks," *Computational Biology and Chemistry*, pp. 108480, 2025.
<https://doi.org/10.1016/j.compbiolchem.2025.108480>
- [7] H. Shin, T. Yoon, J. You, and S. Na, "A study of forecasting the Nephila clavipes silk fiber's ultimate tensile strength using machine learning strategies," *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 157, pp. 106643, 2024.
<https://doi.org/10.1016/j.jmbbm.2024.106643>
- [8] X. Zhao, S. Zhang, T. Zhang, Y. Cao, and J. Liu, "A small-scale data driven and graph neural network based toxicity prediction method of compounds," *Computational Biology and Chemistry*, vol. 117, pp. 108393, 2025.
<https://doi.org/10.1016/j.compbiolchem.2025.108393>
- [9] W.-H. Hui, Y.-L. Chen, and S.-W. Chang, "GraphLOGIC: Lethality prediction of osteogenesis imperfecta on type I collagen by a mechanics-informed graph neural network," *International Journal of Biological Macromolecules*, vol. 291, pp. 139001, 2025.
<https://doi.org/10.1016/j.ijbiomac.2024.139001>
- [10] S. Chen, W. Li, X. Zhao, M. Li, T. Zhao, G. Zheng, W. Cao, and C. Qiao, "Application of explainable machine learning in the production of pullulan by *Aureobasidium pullulans* CGMCCNO. 7055," *International Journal of Biological Macromolecules*, vol. 308, pp. 142374, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.142374>
- [11] A. Salimi, J. H. Jang, and J. Y. Lee, "Leveraging attention-enhanced variational autoencoders: Novel approach for investigating latent space of aptamer sequences," *International Journal of Biological Macromolecules*, vol. 255, pp. 127884, 2024.
<https://doi.org/10.1016/j.ijbiomac.2023.127884>
- [12] D. S. K. Nayak, R. Das, S. K. Sahoo, and T. Swarnkar, "ARGai 1.0: A GAN augmented in silico approach for identifying resistant genes and strains in *E. coli* using vision transformer," *Computational Biology and Chemistry*, vol. 115, pp. 108342, 2025.
<https://doi.org/10.1016/j.compbiolchem.2025.108342>
- [13] T. Voitsitskiy, V. Bdzhola, R. Stratiichuk, I. Koleiev, Z. Ostrovsky, V. Vozniak, I. Khropachov, P. Henitsoi, L. Popryho, and R. Zhytar, "Augmenting a training dataset of the generative diffusion model for molecular docking with artificial binding pockets," *RSC advances*, vol. 14, no. 2, pp. 1341-1353, 2024.
<https://doi.org/10.1039/D3RA08147H>
- [14] S. Wang, Y. Zhao, J. Li, L. Zhang, F. Yan, C. Wang, L. Shi, X. Zhang, and M. Zhang, "Computational Discovery of RSV Pre-F Inhibitors via Reinforcement Learning-Driven ab Initio Design from Natural Fragment Libraries," *Computational Biology and Chemistry*, pp. 108553, 2025.
<https://doi.org/10.1016/j.compbiolchem.2025.108553>
- [15] A. Ebrahimi, H. Mohammadi, and N. Maftoon, "Material characterization of human middle ear using machine-learning-based surrogate models," *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 153, pp. 106478, 2024.
<https://doi.org/10.1016/j.jmbbm.2024.106478>
- [16] L. Meng, L. Wei, and R. Wu, "MVGNN-PPIS: A novel multi-view graph neural network for protein-protein interaction sites prediction based on AlphaFold3-predicted structures and transfer learning," *International Journal of Biological Macromolecules*, vol. 300, pp. 140096, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.140096>
- [17] K. Luo, J. Zhao, Y. Wang, J. Li, J. Wen, J. Liang, H. Soekmadji, and S. Liao, "Physics-informed neural networks for PDE problems: a comprehensive review," *Artificial Intelligence Review*, vol. 58, no. 10, pp. 1-43, 2025.
<https://doi.org/10.1007/s10462-025-11322-7>
- [18] A. Uttarkar, and V. Niranjana, "Quantum synergy in peptide folding: A comparative study of CVaR-variational quantum eigensolver and molecular dynamics simulation," *International Journal of Biological Macromolecules*, vol. 273, pp. 133033, 2024.
<https://doi.org/10.1016/j.ijbiomac.2024.133033>
- [19] S. Kocabay, E. Acar, S. Memiş, I. İ. Taşkın, M. R. Sever, and R. Şener, "Prediction of newly synthesized heparin mimic's effects as heparanase inhibitor in cancer treatments via variational quantum neural networks," *Computational Biology and Chemistry*, vol. 118, pp. 108476, 2025.
<https://doi.org/10.1016/j.compbiolchem.2025.108476>
- [20] C. Chu, A. Hastak, and F. Chen, "LSTM-QGAN: Scalable NISQ Generative Adversarial Network." pp. 1-5.
- [21] H. Shin, T. Yoon, and S. Yoon, "Fatigue life predictor: predicting fatigue life of metallic material using LSTM with a contextual attention model," *RSC advances*, vol. 15, no. 20, pp. 15781-15795, 2025.
<https://doi.org/10.1039/D5RA01578B>
- [22] Y. Sohail, C. Zhang, D. Xue, J. Zhang, D. Zhang, S. Gao, Y. Yang, X. Fan, H. Zhang, and G. Liu, "Machine-learning design of ductile FeNiCoAlTa alloys with high strength," *Nature*, pp. 1-6, 2025.
<https://doi.org/10.1038/s41586-025-09160-2>
- [23] R. S. Madsen, M. Stepniewska, Y. Yang, A. Qiao, W. M. Winters, C. Zhou, J. König, J. C. Mauro, and Y. Yue, "Mixed metal node effect in zeolitic imidazolate frameworks," *RSC advances*, vol. 12, no. 17, pp. 10815-10824, 2022.
<https://doi.org/10.1039/D2RA00744D>
- [24] M. Zhou, J. He, X. Liu, J. Huang, J. Zhang, J. Li, X. Huang, and Q. Guo, "Affinity prediction of inhibitor-kinase based on mixture of experts enhanced by multimodal feature semantic analysis," *International Journal of Biological Macromolecules*, pp. 146324, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.146324>
- [25] Z. Huang, X. Weng, M. Igl, Y. Chen, Y. Cao, B. Ivanovic, M. Pavone, and C. Lv, "Gen-drive: Enhancing diffusion generative driving policies with reward modeling and reinforcement learning fine-tuning," *arXiv preprint arXiv: 2410.05582*, 2024.
<https://doi.org/10.1109/ICRA55743.2025.11127286>
- [26] A. M. Bran, S. Cox, O. Schilter, C. Baldassari, A. D. White, and P. Schwaller, "Augmenting large language models with chemistry tools," *Nature Machine Intelligence*, vol. 6, no. 5, pp. 525-535, 2024.
<https://doi.org/10.1038/s42256-024-00832-8>

- [27] J. Abramson, J. Adler, J. Dunger, R. Evans, T. Green, A. Pritzel, O. Ronneberger, L. Willmore, A. J. Ballard, and J. Bambrick, "Accurate structure prediction of biomolecular interactions with AlphaFold 3," *Nature*, vol. 630, no. 8016, pp. 493-500, 2024.
<https://doi.org/10.1038/s41586-024-07487-w>
- [28] S.-J. Kang, and H. Shin, "Biophysical mechanisms of spider-silk constituting element-induced stick-slip behavior and hydrogen bond regeneration for high toughness in silk fibers," *International Journal of Biological Macromolecules*, pp. 147027, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.147027>
- [29] N. Szymanski, "Automating the Synthesis and Characterization of Inorganic Materials," University of California, Berkeley, 2024.
- [30] C. Zeni, R. Pinsler, D. Zügner, A. Fowler, M. Horton, X. Fu, Z. Wang, A. Shysheya, J. Crabbé, and S. Ueda, "A generative model for inorganic materials design," *Nature*, vol. 639, no. 8055, pp. 624-632, 2025.
<https://doi.org/10.1038/s41586-025-08628-5>
- [31] F. Strieth-Kalthoff, H. Hao, V. Rathore, J. Derasp, T. Gaudin, N. H. Angello, M. Seifrid, E. Trushina, M. Guy, and J. Liu, "Delocalized, asynchronous, closed-loop discovery of organic laser emitters," *Science*, vol. 384, no. 6697, pp. eadk9227, 2024.
<https://doi.org/10.1126/science.adk9227>
- [32] T. Dai, S. Vijayakrishnan, F. T. Szczypiński, J.-F. Ayme, E. Simaei, T. Fellowes, R. Clowes, L. Kotoponov, C. E. Shields, and Z. Zhou, "Autonomous mobile robots for exploratory synthetic chemistry," *Nature*, vol. 635, no. 8040, pp. 890-897, 2024.
<https://doi.org/10.1038/s41586-024-08173-7>
- [33] S. Back, A. Aspuru-Guzik, M. Ceriotti, G. Gryn'ova, B. Grzybowski, G. H. Gu, J. Hein, K. Hippalgaonkar, R. Hormázabal, and Y. Jung, "Accelerated chemical science with AI," *Digital Discovery*, vol. 3, no. 1, pp. 23-33, 2024.
<https://doi.org/10.1039/D3DD000213F>
- [34] C. Zeni, R. Pinsler, D. Zügner, A. Fowler, M. Horton, X. Fu, S. Shysheya, J. Crabbé, L. Sun, and J. Smith, "Mattergen: a generative model for inorganic materials design," *arXiv preprint arXiv: 2312.03687*, 2023.
- [35] S. Xiao, X. Wang, M. Palesi, A. K. Singh, and T. Mak, "ACDC: An accuracy-and congestion-aware dynamic traffic control method for networks-on-chip," pp. 630-633.
- [36] S. Zhou, J. Li, F. Meng, M. Chen, J. Cao, and X. Li, "Applications of flexible materials in health management assisted by machine learning," *RSC advances*, vol. 15, no. 28, pp. 22386-22410, 2025.
<https://doi.org/10.1039/D5RA02594J>
- [37] W. Kobayashi, T. Otsuka, Y. K. Wakabayashi, and G. Tei, "Physics-informed Bayesian optimization suitable for extrapolation of materials growth," *npj Computational Materials*, vol. 11, no. 1, pp. 36, 2025.
<https://doi.org/10.1038/s41524-025-01522-8>
- [38] N. Liu, Y. Fan, X. Zeng, M. Klöwer, L. Zhang, and Y. Yu, "Harnessing the power of neural operators with automatically encoded conservation laws," *arXiv preprint arXiv: 2312.11176*, 2023.
- [39] K. Shukla, P. C. Di Leoni, J. Blackshire, D. Sparkman, and G. E. Karniadakis, "Physics-informed neural network for ultrasound nondestructive quantification of surface breaking cracks," *Journal of Nondestructive Evaluation*, vol. 39, no. 3, pp. 61, 2020.
<https://doi.org/10.1007/s10921-020-00705-1>
- [40] I. Batatia, P. Benner, Y. Chiang, A. M. Elena, D. P. Kovács, J. Riebesell, X. R. Advincula, M. Asta, M. Avaylon, and W. J. Baldwin, "A foundation model for atomistic materials chemistry," *arXiv preprint arXiv: 2401.00096*, 2023.
- [41] J. Qi, Z. Jia, M. Liu, W. Zhan, J. Zhang, X. Wen, J. Gan, J. Chen, Q. Liu, and M. D. Ma, "Metascientist: A human-ai synergistic framework for automated mechanical metamaterial design," *arXiv preprint arXiv: 2412.16270*, 2024.
- [42] W. Feng, Z. Huang, B. Pan, T. Zhang, Z. Jin, and M. Miao, "Development of oat-derived biomimetic macrocapsules via hierarchically crosslinked polysaccharide matrix," *International Journal of Biological Macromolecules*, pp. 147165, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.147165>
- [43] D. A. Karasev, B. N. Sobolev, A. A. Lagunin, D. A. Filimonov, and V. V. Poroikov, "The method predicting interaction between protein targets and small-molecular ligands with the wide applicability domain," *Computational biology and chemistry*, vol. 98, pp. 107674, 2022.
<https://doi.org/10.1016/j.compbiolchem.2022.107674>
- [44] R. V. Chikhale, H. T. M. Abdelghani, H. Deka, A. D. Pawar, P. C. Patil, and S. Bhowmick, "Machine learning assisted methods for the identification of low toxicity inhibitors of Enoyl-Acyl Carrier Protein Reductase (InhA)," *Computational Biology and Chemistry*, vol. 110, pp. 108034, 2024.
<https://doi.org/10.1016/j.compbiolchem.2024.108034>
- [45] J. Klarak, A. C. M. Brito, L. F. Moreira, F. N. Silva, D. R. Amancio, R. Andok, M. C. F. Oliveira, M. Bardosova, and O. N. Oliveira Jr, "Using network analysis and large-language models to obtain a landscape of the literature on dressing materials for wound healing: The predominance of chitosan and other biomacromolecules: A review," *International journal of biological macromolecules*, pp. 141565, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.141565>
- [46] N. P. A. Plan, "National Institute of Standards and Technology (NIST)."
- [47] X. Liu, K. Zeng, Z. Luo, Y. Wang, T. Zhao, and Z. Xu, "Fine-Tuning Universal Machine-Learned Interatomic Potentials: A Tutorial on Methods and Applications," *arXiv preprint arXiv: 2506.21935*, 2025.
- [48] S. Leontica, F. Tennie, and T. Farrow, "Simulating molecules on a cloud-based 5-qubit IBM-Q universal quantum computer," *Communications Physics*, vol. 4, no. 1, pp. 112, 2021.
<https://doi.org/10.1038/s42005-021-00616-1>
- [49] Y. Wang, Q. Zeng, J. Wang, Y. Li, and D. Fang, "Inverse design of shell-based mechanical metamaterial with customized loading curves based on machine learning and genetic algorithm," *Computer Methods in Applied Mechanics and Engineering*, vol. 401, pp. 115571, 2022.
<https://doi.org/10.1016/j.cma.2022.115571>
- [50] P. Jiao, J. Mueller, J. R. Raney, X. Zheng, and A. H. Alavi, "Mechanical metamaterials and beyond," *Nature communications*, vol. 14, no. 1, pp. 6004, 2023.
<https://doi.org/10.1038/s41467-023-41679-8>
- [51] A. L. Ferguson, and K. A. Brown, "Data-driven design and autonomous experimentation in soft and biological materials engineering," *Annual Review of Chemical and Biomolecular Engineering*, vol. 13, no. 1, pp. 25-44, 2022.
<https://doi.org/10.1146/annurev-chembioeng-092120-020803>
- [52] K. Wang, and A. W. Dowling, "Bayesian optimization for chemical products and functional materials," *Current Opinion in Chemical Engineering*, vol. 36, pp. 100728, 2022.
<https://doi.org/10.1016/j.coche.2021.100728>
- [53] T. Jarvis, A. M. Mah, R. H. Wang, and M. G. Wilson, "Web-based system navigation database to support equitable access to assistive technology: Usability testing study," *JMIR Formative Research*, vol. 6, no. 11, pp. e36949, 2022.
<https://doi.org/10.2196/36949>
- [54] G. C. Saha, S. Kumar, A. Kumar, H. Saha, T. Lakshmi, and N. Bhat, "Human-AI collaboration: Exploring interfaces for interactive machine learning," *Tuijin Jishu/Journal of Propulsion Technology*, vol. 44, no. 2, pp. 2023, 2023.
<https://doi.org/10.52783/tjpt.v44.i2.148>
- [55] S. Bowman, B. Gu, Y. Qiu, and L. Qiu, "Making of cyanobacteria reinforced PLA composites using vat photopolymerization LCD additive manufacturing for textile accessories applications," *International Journal of Biological Macromolecules*, vol. 309, pp. 142910, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.142910>
- [56] F. Ahmed, M. A. Azim, and A. Zubair, "High sensitivity terahertz metamaterial sensor for trace pesticide detection,"

- RSC advances, vol. 15, no. 26, pp. 20530-20541, 2025.
<https://doi.org/10.1039/D5RA01143D>
- [57] T. U. Rehman, L. A. Shah, and H. Yoo, "Bio-inspired hydrogels comprising organic and inorganic components association explored as Bingham precursor solution for extending direct ink writing technique in 3D printing," *International Journal of Biological Macromolecules*, pp. 146098, 2025.
<https://doi.org/10.1016/j.ijbiomac.2025.146098>
- [58] Q. Zhang, and A. H. Alavi, "Advances in autonomous materials and structures," *Active and Passive Smart Structures and Integrated Systems XVII*, vol. 12483, pp. 245-254, 2023.
<https://doi.org/10.1117/12.2658156>
- [59] K. Deb, A. Pratap, S. Agarwal, and T. Meyarivan, "A fast and elitist multiobjective genetic algorithm: NSGA-II," *IEEE transactions on evolutionary computation*, vol. 6, no. 2, pp. 182-197, 2002.
<https://doi.org/10.1109/4235.996017>
- [60] Q. Zhang, and H. Li, "MOEA/D: A multiobjective evolutionary algorithm based on decomposition," *IEEE Transactions on evolutionary computation*, vol. 11, no. 6, pp. 712-731, 2007.
<https://doi.org/10.1109/TEVC.2007.892759>
- [61] C. Khatua, S. Min, H. J. Jung, J. E. Shin, N. Li, I. Jun, H. Liu, G. Bae, H. Choi, M. J. Ko, Y. S. Jeon, Y. J. Kim, J. Lee, M. Ko, G. Shim, H. Shin, S. Lee, S. Chung, Y. K. Kim, J. Song, V. P. Dravid, and H. Kang, "In Situ Magnetic Control of Macroscale Nanoligand Density Regulates the Adhesion and Differentiation of Stem Cells," *Nano Letters*, vol. 20, no. 6, pp. 4188-4196, 2020.
<https://doi.org/10.1021/acs.nanolett.0c00559>
- [62] H. Choi, G. Bae, C. Khatua, S. Min, H. J. Jung, N. Li, I. Jun, H. Liu, Y. Cho, K. Na, M. Ko, H. Shin, Y. H. Kim, S. Chung, J. Song, V. P. Dravid, and H. Kang, "Remote Manipulation of Slidable Nano-Ligand Switch Regulates the Adhesion and Regenerative Polarization of Macrophages," *Advanced Functional Materials*, vol. 30, no. 35, pp. 2001446, 2020.
<https://doi.org/10.1002/adfm.202001446>